



## Pelvic Health Intake Form

Name \_\_\_\_\_ Date \_\_\_\_\_

DOB \_\_\_\_\_ Age \_\_\_\_\_

What is your gender? \_\_\_\_\_ What sex were you assigned at birth? \_\_\_\_\_

### URINARY FUNCTION

I estimate \_\_\_\_\_ urinations per day & \_\_\_\_\_ per night.

**I leak urine when I:**

- cough    yell    exercise    move from sitting to standing    sneeze    jump    laugh    vomit  
 other \_\_\_\_\_

I constantly leak urine:  Yes  No  Sometimes

**I sometimes I am unable to make it to the toilet in time because the urge is so strong that I leak urine:**

Yes  No  Sometimes

**Things that trigger my urge include:**  running water  cold  key in the door  the bathroom  other \_\_\_\_\_

I have a ...  constant stream  intermittent stream of urine when I urinate.

I have a difficulty ...  starting  stopping my flow.

I have to ...  strain  self-cath to completely empty my bladder.

I empty my bladder when I urinate :  Yes  No  Sometimes

I wear pads for my urinary incontinence:  Yes **How Many?** \_\_\_\_\_  No  Sometimes

I do pelvic floor exercises (kegels):  Yes  No  Sometimes

### BOWEL FUNCTION

I typically have \_\_\_\_\_ bowel movements per  week  day

I leak:  gas  stool

I wear pads for my fecal incontinence:  Yes **How Many?** \_\_\_\_\_  No  Sometimes

I have irritable bowel syndrome:  Yes  No

I typically have...  constipation  diarrhea  mixed

To manage constipation I use... \_\_\_\_\_

**I sometimes am unable to make it to the toilet in time because the urge is so strong that I leak feces:**  Yes  No  Sometimes

Things that trigger my urge include:  eating  cold  key in door  caffeine  running water  the bathroom  other \_\_\_\_\_

I have to splint my perineum with my hand when I have a bowel movement:  Yes  No  Sometimes

I have to manually evacuate stool on occasion:  Yes  No  Sometimes

I am experiencing rectal bleeding and/or blood in my stool:  Yes  No  Sometimes

**NUTRITION, FLUID & EXERCISE INTAKE**

I drink \_\_\_\_\_ servings of water per day. (1 serving = 8 ounces)

I drink the following servings of beverages a day:

- soda \_\_\_\_\_  decaf coffee \_\_\_\_\_
- diet soda \_\_\_\_\_  tea \_\_\_\_\_
- milk \_\_\_\_\_  alcohol \_\_\_\_\_
- regular coffee \_\_\_\_\_  other \_\_\_\_\_

I weigh \_\_\_\_\_ pounds

I am currently dieting :  Yes What diet? \_\_\_\_\_  No


I exercise \_\_\_\_\_ times per week.

I typically do the following exercises: \_\_\_\_\_

I have had/have an eating disorder:  anorexia  bulimia  other \_\_\_\_\_

**PAIN & SEXUAL HEALTH HISTORY**

Please shade the areas of pain on the anatomy. You have to write a number from 1 to 10 at the site(s) of pain. (10 = most severe)



I have problems with pain:  Yes  No  Sometimes

I am sexually active at this time:  Yes  No  Sometimes

I am sexually inactive due to pain:  Yes  No  Sometimes

I am sexually inactive for other reasons:  Yes  No  Explain \_\_\_\_\_

Please answer the following if it applies to you:

**Biological Male:**

**My pain is worse during an erection:**  Yes  No  Sometimes

**My pain is worse during ejaculation:**  Yes  No  Sometimes

**My pain lingers after ejaculation for** \_\_\_\_\_  days  hours  minutes

**My pain is located:**  rectal area  penis  testicles  my pain feels deep inside  abdomen  behind testicle  buttock

**I have pain after intercourse. This pain includes:**

backache  when my bladder is full  pain with sitting  muscle/joint pain  pain with urination  
 migraine headache  other \_\_\_\_\_

Please answer the following if it applies to you:

**Biological Female:**

**I have pain during ovulation:**  Yes  No  Sometimes

**My pain is worse during ovulation:**  Yes  No  Sometimes

**I have pain during my period:**  Yes  No  Sometimes

**My pain is worse just before my period:**  Yes  No  Sometimes

**I have pain during intercourse:**  my pain feels close to the vaginal opening  pain with orgasm  my pain feels deep inside me  other \_\_\_\_\_

**I have pain after intercourse:**  when my bladder is full  burning vaginal pain after sex  backache  
 pain with sitting  muscle/joint pain  pain with urination  migraine  
 other \_\_\_\_\_

**GYNECOLOGICAL HISTORY**

**The first day of my last menstrual cycle was:** \_\_\_\_\_

**Have you currently started your menstrual cycle?:**  Yes  No

**During menstruation, my periods are:**  light  heavy  moderate  bleed through protection

**Do you use birth control? :**  Yes  No

**Do you have history or a current medical concern? (including pelvic heaviness, fibroids, cysts, or endometriosis) :**

---

**I am currently using the following birth control method:**  IUD  birth control pill  Nuva Ring  condoms  Depo Provera shot  withdrawal  other \_\_\_\_\_

**I have not started menopause:**  Yes  No

**I have**  started  completed **menopause**

**OBSTETRIC HISTORY**

**Number of pregnancies:** \_\_\_\_\_ (including current, if applicable)

vaginal deliveries \_\_\_\_\_ miscarriages \_\_\_\_\_  
cesarean deliveries \_\_\_\_\_ abortions \_\_\_\_\_ episiotomies \_\_\_\_\_

**I am currently pregnant:**  Yes  No  Have Been

*If answered no, please skip this section.*

**I'm at** \_\_\_ weeks gestation, with the due date of \_\_\_\_\_.

**Do you have concerns during this pregnancy?**

---

**Has your physician placed you on any restrictions?**

---

**What complications did you experience during pregnancy during labor, delivery, or postpartum?**

vacuum  medication for bleeding  forceps  postpartum hemorrhaging  postpartum depression  
 preeclampsia  other \_\_\_\_\_

***Fill out this section ONLY if you have given birth in the last 12 weeks.***

**IN THE LAST 7 DAYS:**

**I have blamed myself unnecessarily when things go wrong:**  yes, all the time  yes, most of the time  no, not very often  no, not at all

**I have felt panicky or scared for no good reason:**  yes, all the time  yes, most of the time  no, not very often  
 no, not at all

**I have been anxious or worried for no good reason:**  yes, all the time  yes, most of the time  no, not very often  no, not at all